


EC DECLARATION OF CONFORMITY



Number	DCUPIH.001-2007 Revision 01 (Updated 19.06.2007)
Supplier	CINCA - Companhia Industrial de Cerâmica, S.A.
Address	Rua Principal, 39 - Apartado 12 4509-908 Fiães PORTUGAL
Phone	+351 227.476.462
Fax	+351 227.476.494

For the due effects we hereby declare that the **Glazed Ceramic Tiles** of the attached list, produced in our **Ílhavo Production Unit - Portugal**, are in compliance with the **Annex ZA of the EN 14411:2006** European Standard and obey to **European Directive 89/106/EEC** provisions, showing the following characteristics:

	Standard: EN 14411:2006 Annex L Group BIII GL Type of Tile: Glazed Dry Pressed Ceramic Tiles Utilização: Internal Wall Finishes
--	--

Characteristic	Declared Value	Test Method
Reaction to fire	Class A1	No Test (Dec. 96/603/EEC)
Breaking strength	≥ 200 N (Thickness < 7,5 mm) ≥ 600 N (Thickness ≥ 7,5 mm)	EN ISO 10545-4
Modulus of rupture	≥ 12 N/mm ² (Thickness < 7,5 mm) ≥ 15 N/mm ² (Thickness ≥ 7,5 mm)	EN ISO 10545-4
Release of dangerous substances	Cadmium: 0 mg/dm ²	EN ISO 10545-15
	Lead: 0 mg/dm ²	EN ISO 10545-15
Bond strength/adhesion	NPD	-----

This declaration authorizes the CE marking and is based on the results from initial type tests performed at the producer's laboratories, in the production control at the factory and in compliance with the EN 14411:2006 requisites for the indicated end uses. For end uses different from those above mentioned, please contact CINCA.

Name	Job	Signature	Date
José Nunes do Amaral	General Manager		19-06-2007
Luís Pedro Mota	Quality Manager		19-06-2007